# Dulux Lifemaster Acrylic Latex (59186, 59386, 59486) by PPG Architectural Finishes

## **Health Product** Declaration v2.2

created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER: 23841** 

CLASSIFICATION: 09 91 23 Interior Painting

PRODUCT DESCRIPTION: For the products 59186 Matt Ultra Deep Base, 59386 Eggshell Ultra Deep Base and 59486 Pearl Ultra Deep Base this assessment is limited to the base formulas not including tint. Dulux® Lifemaster is our leading Canadian 'green' building standards product and is free of volatile organic compounds (VOCs) before tinting. Please note, colorants added to base paints may increase the VOC significantly depending on color choice. Dulux Lifemaster Matt, Eggshell and Pearl finishes are available in a complete line of tinting bases offering the ability to achieve over 6,000 decorator colours, from the lightest offwhites to the deepest, cleanest shades.



## Section 1: Summary

## **Basic Method / Product Threshold**

## CONTENT INVENTORY

**Inventory Reporting Format** C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold level C 100 ppm

⊙ 1,000 ppm C Per GHS SDS

C Other

Residuals/Impurities

Considered

Partially Considered

Not Considered Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are: Characterized

% weight and role provided for all substances.

Screened ○ Yes Ex/SC 
○ Yes 
○ No

All substances screened using Priority Hazard Lists with

results disclosed.

Identified ○ Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more

Special Condition did not follow guidance.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE | HAZARD TYPE** 

DULUX LIFEMASTER ACRYLIC LATEX (59186, 59386, 59486) [ WATER BM-4 UNDISCLOSED LT-UNK LIMESTONE; CALCIUM CARBONATE LT-UNK TRIETHYLENE GLYCOL DI(2-ETHYLHEXOATE) LT-UNK UNDISCLOSED LT-1 | CAN | MUL ENGLISH FULLERS EARTH NoGS SODIUM CARBONATE (SODIUM CARBONATE) LT-UNK | EYE PEG-10 PROPYLHEPTYL ETHER LT-UNK CETYLHYDROXYETHYLCELLULOSE LT-UNK UNDISCLOSED LT-UNK

POLYACRYLIC ACID, SODIUM SALT LT-UNK UNDISCLOSED LT-UNK

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

## **INVENTORY AND SCREENING NOTES:**

Substances representing 99.7% of the product weight meet the 1000 pm Threshold and are Screened.

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 0 g/L Regulatory (g/l): 0 g/L Does the product contain exempt VOCs: No Are ultra-low VOC tints available: Yes

## **CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: GreenGuard - Indoor Air Quality Certified VOC emissions: GreenGuard - Gold (previously Children & Schools) VOC content: SCAQMD Rule 1113 Architectural Coatings

## **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

O Yes

1

No

PREPARER: Self-Prepared

VERIFIER:

**VERIFICATION #:** 

SCREENING DATE: 2021-02-22 PUBLISHED DATE: 2021-02-22 EXPIRY DATE: 2024-02-22

# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

## **DULUX LIFEMASTER ACRYLIC LATEX (59186, 59386, 59486)**

## PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities Notes: PPG's Product Stewardship and Hazard Communication program requires disclosure by its raw material suppliers of all components, both intentional and residual, considered to be hazardous. PPG relies on the measurements of its raw material suppliers and the details of their disclosure in our extensive raw material introduction process. Always refer to the Product Label, Technical Data Sheet (TDS) and Safety Data Sheet (SDS) for all safety and detailed application instructions.

OTHER PRODUCT NOTES: Three products are covered by this HPD. They are all acrylic latex waterborne interior paints which function similarly. All information provided in Section 3: Certificates and Compliance applies to each product. The content differences between the products accounts for 10% or less of the total mass of each product.

WATER ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-02-22

%: 50.0000 - 60.0000 GS: BM-4 RC: None NANO: No SUBSTANCE ROLE: Solvent

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents the variation between the 3 products covered under this HPD and as well as standard manufacturing variability.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-02-22

%: 20.0000 - 25.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents the variation between the 3 products covered under this HPD and as well as standard manufacturing variability. The identification of this chemical substance is not being disclosed because the raw material supplier was unable or unwilling to disclose it. For the purpose of this screening, PPG relied on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

## LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-02-22

%: 15.0000 - 20.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents the variation between the 3 products covered under this HPD and as well as standard manufacturing variability.

## TRIETHYLENE GLYCOL DI(2-ETHYLHEXOATE)

ID: 94-28-0

SUBSTANCE NOTES: Range listed represents the variation between the 3 products covered under this HPD and as well as standard manufacturing variability.

**UNDISCLOSED ID: Undisclosed** HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-02-22 %: 0.1000 - 1.0000 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Defoamer **HAZARD TYPE** AGENCY AND LIST TITLES WARNINGS CAN EU - GHS (H-Statements) H350 - May cause cancer EU - REACH Annex XVII CMRs CAN Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man CAN EU - Annex VI CMRs Carcinogen Category 1B - Presumed Carcinogen based on animal evidence MUL ChemSec - SIN List CMR - Carcinogen, Mutagen &/or Reproductive Toxicant GHS - Australia CAN H350 - May cause cancer

SUBSTANCE NOTES: Range listed represents the variation between the 3 products covered under this HPD and as well as standard manufacturing variability. The identification of this chemical substance is not being disclosed because the raw material supplier was unable or unwilling to disclose it. For the purpose of this screening, PPG relied on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

ENGLISH FULLERS EARTH ID: 8031-18-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-02-22

%: 0.1000 - 1.0000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents the variation between the 3 products covered under this HPD and as well as standard manufacturing variability.

## **SODIUM CARBONATE (SODIUM CARBONATE)**

ID: 497-19-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-02-22

%: 0.1000 - 1.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Buffer

EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS

SUBSTANCE NOTES: Range listed represents the variation between the 3 products covered under this HPD and as well as standard manufacturing variability.

PEG-10 PROPYLHEPTYL ETHER ID: 160875-66-1

SUBSTANCE NOTES: Range listed represents the variation between the 3 products covered under this HPD and as well as standard manufacturing variability.

## **CETYLHYDROXYETHYLCELLULOSE**

ID: 80455-45-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-02-22

%: 0.1000 - 1.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Viscosity modifier

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents the variation between the 3 products covered under this HPD and as well as standard manufacturing variability.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-02-22

%: 0.1000 - 1.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Surfactant

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents the variation between the 3 products covered under this HPD and as well as standard manufacturing variability. The identification of this chemical substance is not being disclosed because the raw material supplier was unable or unwilling to disclose it. For the purpose of this screening, PPG relied on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

## POLYACRYLIC ACID, SODIUM SALT

ID: 9003-04-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE:		2021-02-22	
%: 0.1000 - 1.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found No warnings found on HPD Priority Hazard List					

SUBSTANCE NOTES: Range listed represents the variation between the 3 products covered under this HPD and as well as standard manufacturing variability.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-02-22

%: 0.1000 - 1.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Viscosity modifier

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents the variation between the 3 products covered under this HPD and as well as standard manufacturing variability. The identification of this chemical substance is not being disclosed because the raw material supplier was unable or unwilling to disclose it. For the purpose of this screening, PPG relied on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

13

13

## **VOC EMISSIONS**

## GreenGuard - Indoor Air Quality Certified

**CERTIFYING PARTY: Third Party** APPLICABLE FACILITIES: All

ISSUE DATE: 2020-01- EXPIRY DATE: 2022-

CERTIFIER OR LAB: UL

Laboratories

Laboratories

CERTIFICATE URL: https://spot.ul.com/mainapp/products/detail/5e1c942455b0e844183d7792?

page\_type=Products%20Catalog

CERTIFICATION AND COMPLIANCE NOTES: No additional notes.

#### VOC EMISSIONS

## GreenGuard - Gold (previously Children & Schools)

02-07

02-07

CERTIFYING PARTY: Third Party

ISSUE DATE: 2020-01- EXPIRY DATE: 2022-

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: All

CERTIFICATE URL: https://spot.ul.com/mainapp/products/detail/5e1c942455b0e844183d7792?

page\_type=Products%20Catalog

CERTIFICATION AND COMPLIANCE NOTES: No additional notes.

#### **VOC CONTENT**

#### **SCAQMD Rule 1113 Architectural Coatings**

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All

ISSUE DATE: 2018-05- EXPIRY DATE:

CERTIFIER OR LAB: none

**CERTIFICATE URL:** 

CERTIFICATION AND COMPLIANCE NOTES: VOC content is a calculated value based on EPA Method 24.



## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

## PPG NEXT GENERATION COLORANT SYSTEM

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

PPG Next Generation Colorant System is a low VOC line of colorants composed of 12 tints which can be combined to create over 6000 colors. When added to Pure Performance base paints at maximum tint load for any color, the Next Generation tints contribute less than 8 g/L of VOC to the final tinted product.

## Section 5: General Notes

Please note PPG has a strong Product Stewardship and Hazard Communication program. While raw material suppliers may choose to keep chemical substances proprietary, PPG requires them to fully disclose hazards . All PPG products, in turn, reflect those hazards. In instances where CAS numbers are not available, PPG relies on extensive internal, external, and raw material supplier resources to assign representative CAS numbers for this screening that represent the chemical family and associated hazards.

## MANUFACTURER INFORMATION

MANUFACTURER: PPG Architectural Finishes

ADDRESS: One PPG Place Pittsburgh PA 15272, USA

WEBSITE: www.dulux.ca/diy/products/interior-paint/dulux-

lifemaster

CONTACT NAME: Architectural Coatings Technical Advise Center

TITLE: Technical Advisor PHONE: 1-800-441-9695

EMAIL: techservicerequests@ppg.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

**KEY** 

**AQU** Aquatic toxicity

**CAN** Cancer

**Hazard Types** 

DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity

GEN Gene mutation

**GLO** Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple
NEU Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)
NoGS No GreenScreen.

## **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

**UNK** Inclusion of recycled content is unknown

None Does not include recycled content

## Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

## **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.