Dulux Lifemaster Acrylic Latex (59211 and 59217) by PPG Architectural Finishes

Health Product Declaration v2.1

created via: HPDC Online Builder

CLASSIFICATION: 09 91 23.00

PRODUCT DESCRIPTION: For the products 59211 Semi-Gloss White and 59217 Semi-Gloss White, this assessment is limited to the base formulas not including tint. Dulux® Lifemaster is our leading Canadian 'green' building standards product and is free of volatile organic compounds (VOCs) before tinting. Please note, colorants added to base paints may increase the VOC significantly depending on color choice. Dulux Lifemaster Matt, Eggshell, Pearl and Semigloss finishes are available in a complete line of tinting bases offering the ability to achieve over 6,000 decorator colours, from the lightest offwhites to the deepest, cleanest shades.



Section 1: Summary

Basic Method / Product Threshold

con	ITEN		IV/ENI	TORY
CON		11 11	$I \land \square I \land$	IUni

Inventory Reporting Format	Threshold level	Residuals/Impurities	Are All Substances Abo	ve the Threshold Indicated:
Nested Materials Method Basic Method	€ 100 ppm€ 1,000 ppm€ Per GHS SDS	ConsideredPartially ConsideredNot Considered	Characterized Percent Weight and Rol	© Yes Ĉ No le Provided?
Threshold Disclosed Per Material Product	Per OSHA MSDS Other	Explanation(s) provided for Residuals/Impurities?	Screened Using Priority Hazard Lie	• Yes • No ists with Results Disclosed?
			Identified Name and Identifier Pro	C Yes € No vided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

DULUX LIFEMASTER ACRYLIC LATEX (59211 AND 59217) [WATER (WATER) BM-4 UNDISCLOSED LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END HEXANOIC ACID, 2-ETHYL-, DIESTER WITH TETRAETHYLENE **GLYCOL (HEXANOIC ACID, 2-ETHYL-, DIESTER WITH TETRAETHYLENE** GLYCOL) LT-UNK POLYETHYLENE GLYCOL (POLYETHYLENE GLYCOL) LT-UNK ALUMINA TRIHYDRATE BM-2 | RES POLYETHYLENE GLYCOL BENZYL (1,1,3,3-TETRAMETHYLBUTYL)PHENYL ETHER LT-UNK ENGLISH FULLERS EARTH (ENGLISH FULLERS EARTH) NoGS SILICA, AMORPHOUS LT-P1 | CAN SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES (SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES) LT-1 | CAN | MUL UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK POLY(OXY-1,2-ETHANEDIYL, A-(2-PROPYLHEPTYL)-W-HYDROXY- (POLY(OXY-1,2-ETHANEDIYL, A-(2-PROPYLHEPTYL)-W-HYDROXY-) LT-UNK 1,2-BENZISOTHIAZOLIN-3-ONE (BIT) (1,2-BENZISOTHIAZOLIN-3-ONE (BIT)) LT-P1 | MAM | SKI | EYE | AQU | MUL]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Substances representing 99.5% of the product weight meet the 1000 pm Threshold and are Screened.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0 g/L Regulatory (g/l): 0 g/L Does the product contain exempt VOCs: No Are ultra-low VOC tints available: Yes

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: ClearChem Standard BkA-CC-01.3 VOC content: SCAQMD Rule 1113 Architectural Coatings

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified? Yes

PREPARER: Self-Prepared

SCREENING DATE: 2017-12-21 PUBLISHED DATE: 2018-05-24



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

DULUX LIFEMASTER ACRYLIC LATEX (59211 AND 59217)

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities Notes: PPG's Product Stewardship and Hazard Communication program requires disclosure by its raw material suppliers of all components, both intentional and residual, considered to be hazardous. PPG relies on the measurements of its raw material suppliers and the details of their disclosure in our extensive raw material introduction process. Always refer to the Product Label, Technical Data Sheet (TDS) and Safety Data Sheet (SDS) for all safety and detailed application instructions.

OTHER PRODUCT NOTES: Two products are covered by this HPD. They are both acrylic latex waterborne interior paints which function similarly. All information provided in Section 3: Certificates and Compliance applies to each product. The content differences between the products accounts for 10% or less of the total mass of each product.

WATER (WATER)				ID: 77 3	32-18-5
%: 50.0000 - 55.0000	GS: BM-4	RC: None	NANO: No	ROLE: Thinner	
HAZARDS:	AGENCY(IES) WITH WAR	NINGS:			
None Found	No warnings found	d on HPD Priority lists			

SUBSTANCE NOTES: Range listed represents the variation between the 2 products covered under this HPD and as well as standard manufacturing variability.

UNDISCLOSED

%: 20.0000 - 22.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Binder
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: Range listed represents the variation between the 2 products covered under this HPD and as well as standard manufacturing variability. The identification of this chemical substance is not being disclosed because the raw material supplier was unable or unwilling to disclose it. For the purpose of this screening, PPG relied on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

TITANIUM DIOXIDE ID: 13463-67-7

%: 15.0000 - 20.0000 GS: **LT-1** RC: None NANO: No ROLE: Pigment

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

SUBSTANCE NOTES: Titanium dioxide (TiO2) has been classified as a GHS carcinogen category 2 based on its IARC 2B classification. In this case, the TiO2 particles are bound in a matrix with no meaningful potential for human exposure to unbound particles of TiO2 when the product is applied by a brush or roller. Range listed represents the variation between the 2 products covered under this HPD and as well as standard manufacturing variability.

HEXANOIC ACID, 2-ETHYL-, DIESTER WITH TETRAETHYLENE GLYCOL (HEXANOIC ACID, 2-ETHYL-, DIESTER WITH TETRAETHYLENE GLYCOL)

ID: 18268-70-7

%: 1.0000 - 2.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: Range listed represents the variation between the 2 products covered under this HPD and as well as standard manufacturing variability.

POLYETHYLENE GLYCOL (POLYETHYLENE GLYCOL)

ID: 25322-68-3

%: 0.5000 - 1.5000	GS: LT-UNK	RC: None	nano: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: Range listed represents the variation between the 2 products covered under this HPD and as well as standard manufacturing variability.

ALUMINA TRIHYDRATE ID: 21645-51-2

%: 0.3000 - 0.6000	GS: BM-2	RC: None	nano: No	ROLE: Pigment
HAZARDS:	AGENCY(IES) WITH WARNINGS	3:		
RESPIRATORY	AOEC - Asthmagens		Asthmagen (ARs) - sensitizer-induced - inhalable fo	

SUBSTANCE NOTES: Range listed represents the variation between the 2 products covered under this HPD and as well as standard manufacturing variability.

EIHEN

%: 0.3000 - 0.6000	GS: LT-UNK	RC: None	NANO: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: Range listed represents the variation between the 2 products covered under this HPD and as well as standard manufacturing variability.

ENGLISH FULLERS EARTH (ENGLISH FULLERS EARTH)

ID: 8031-18-3

%: 0.3000 - 0.6000	GS: NoGS	RC: None	nano: No	ROLE: Addtive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lis	ts		

SUBSTANCE NOTES: Range listed represents the variation between the 2 products covered under this HPD and as well as standard manufacturing variability.

 SILICA, AMORPHOUS

 %: 0.2000 - 0.5000
 GS: LT-P1
 RC: None
 NANO: No
 ROLE: Pigment

 HAZARDS:
 AGENCY((IES) WITH WARNINGS:
 Carcinogenicity - Category 1A

SUBSTANCE NOTES: Range listed represents the variation between the 2 products covered under this HPD and as well as standard manufacturing variability.

SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES (SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES)

ID: 64742-65-0

%: 0.2000 - 0.5000	GS: LT-1	RC: None NANO: No ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:	
CANCER	EU - R-phrases	R45 - May cause cancer
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	Australia - GHS	H350 - May cause cancer

SUBSTANCE NOTES: Range listed represents the variation between the 2 products covered under this HPD and as well as standard manufacturing variability.

UNDISCLOSED

%: 0.2000 - 0.5000	GS: LT-UNK	RC: None	nano: No	ROLE: Additive	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: Range listed represents the variation between the 2 products covered under this HPD and as well as standard manufacturing variability. The identification of this chemical substance is not being disclosed because the raw material supplier was unable or unwilling to disclose it. For the purpose of this screening, PPG relied on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

UNDISCLOSED

%: 0.2000 - 0.5000	GS: LT-UNK	RC: None	nano: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: Range listed represents the variation between the 2 products covered under this HPD and as well as standard manufacturing variability. The identification of this chemical substance is not being disclosed because the raw material supplier was unable or unwilling to disclose it. For the purpose of this screening, PPG relied on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

POLY(OXY-1,2-ETHANEDIYL, A-(2-PROPYLHEPTYL)-W-HYDROXY- (POLY(OXY-1,2-ETHANEDIYL, A-(2-PROPYLHEPTYL)-W-HYDROXY-)

ID: 160875-66-1

%: 0.1000 - 0.4000	GS: LT-UNK	RC: None	nano: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: Range listed represents the variation between the 2 products covered under this HPD and as well as standard manufacturing variability.

1,2-BENZISOTHIAZOLIN-3-ONE (BIT) (1,2-BENZISOTHIAZOLIN-3-ONE (BIT))

ID: **2634-33-5**

%: 0.0200 - 0.0300	GS: LT-P1	RC: None	nano: No	ROLE: Preservative
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
MAMMALIAN	EU - R-phrases	R22 - Harr	R22 - Harmful if Swallowed	
SKIN IRRITATION	EU - R-phrases	R38 - Irrita	R38 - Irritating to skin	

EYE IRRITATION	EU - R-phrases	R41 - Risk of serious damage to eyes
SKIN SENSITIZE	EU - R-phrases	R43 - May cause sensitization by skin contact
ACUTE AQUATIC	EU - R-phrases	R50 - Very Toxic to Aquatic Organisms
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H318 - Causes serious eye damage
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: Range listed represents the variation between the 2 products covered under this HPD and as well as standard manufacturing variability.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

ClearChem Standard BkA-CC-01.3

CERTIFYING PARTY: Third Party

ISSUE DATE: 2016-

EXPIRY DATE:

CERTIFIER OR LAB: Berkeley

APPLICABLE FACILITIES: All

09-23

Analytical, IAS TL-383

CERTIFICATE URL:

http://clearchem.berkeleyanalytical.com/clearchem-

declared/ppg-dulux

CERTIFICATION AND COMPLIANCE NOTES: CDPH Standard Method V1.1, Wall Paints and Wall Coverings, Classroom and Office scenarios.

VOC CONTENT

SCAQMD Rule 1113 Architectural Coatings

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2018-

EXPIRY DATE:

CERTIFIER OR LAB: NONe

APPLICABLE FACILITIES: All

12-21

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: VOC content is a calculated value based on EPA Method 24.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

PPG NEXT GENERATION COLORANT SYSTEM

HPD URL: no HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

PPG Next Generation Colorant System is a low VOC line of colorants composed of 12 tints which can be combined to create over 6000 colors. When added to Lifemaster base paints at maximum tint load for any color, the Next Generation tints contribute less than 8 g/L of VOC to the final tinted product.



Section 5: General Notes

Please note PPG has a strong Product Stewardship and Hazard Communication program. While raw material suppliers may choose to keep chemical substances proprietary, PPG requires them to fully disclose hazards. All PPG products, in turn, reflect those hazards. In instances where CAS numbers are not available, PPG relies on extensive internal, external, and raw material supplier resources to assign representative CAS numbers for this screening that represent the chemical family and associated hazards.

MANUFACTURER INFORMATION

MANUFACTURER: PPG Architectural Finishes

ADDRESS: One PPG Place
Pittsburgh PA 15272, USA

WEBSITE: www.dulux.ca/diy/products/interior-

paint/dulux-lifemaster

CONTACT NAME: Architectural Coatings Technical

Advise Center

TITLE: Technical Advisor PHONE: 1-800-441-9695

EMAIL: techservicerequests@ppg.com

LT-P1 List Translator Possible Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient

information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

LT-1 List Translator Likely Benchmark 1

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards **NEU** Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.